

```

<table role="presentation" cellspacing="0" cellpadding="0"
border="0" width="100%" class="cb-module cb-cta-module"
style="border-collapse: collapse; max-width: 680px;"
  data-generator-module-id="ab124d400522ca74d141817cd717ad4a-0"
  data-generator-module-title="CTA module"
  data-utm-content="cta-module">
  <tr>
    <th align="center" valign="top" class="cb-mutable-bg-color"
  data-bg-color-name="Module background colour" bgcolor="#ffffff"
  style="padding: 15px;">

      <!--[if mso]> <table><tr><th align="center" width="620"
  style="width: 620px; padding: 0;"> <![endif]-->
      <table role="presentation" align="center" cellspacing="0"
  cellpadding="0" border="0" width="100%" style="max-width: 620px;">
        <tr>
          <th style="padding: 0 0 15px 0;">
            <h2 class="cb-module-wysiwyg h2"
  style="margin: 0; font-family: Open Sans,
  -apple-system, Segoe UI, Roboto, Arial, sans-serif; font-size:
  24px; line-height: 28px; color: #2e4048; text-transform: none;
  font-weight: bold; letter-spacing: 0px; text-align: center;">
              Aliquet consectetuer nisl.
            </h2>
          </th>
        </tr>
        <tr>
          <th style="padding: 0;">
            <p class="cb-module-wysiwyg paragraph"
  style="margin: 0; font-family: Open Sans,
  -apple-system, Segoe UI, Roboto, Arial, sans-serif; font-size:
  16px; line-height: 24px; font-weight: normal; color: #2e4048;
  text-align: center;">
              Parturient cursus diam odio curae varius,
  amet primis placerat in pulvinar, ornare integer maecenas sem
  amet, tincidunt sollicitudin sociis. Arcu lacinia diam proin
  faucibus mi pulvinar tristique, nonummy convallis.
            </p>
          </th>
        </tr>
      </table>
      <!--[if mso]></th></tr></table><![endif]-->

      <table role="presentation" align="center" cellspacing="0"
  cellpadding="0" border="0" width="100%">
        <tr>

```

```

        <th align="center" style="padding: 0 5px;
text-align: center; font-size: 10px; font-family: sans-serif;
letter-spacing: 5px; font-size: 0; mso-font-width: -100%;"
class="cb-cta-module-btns">

        <!--[if mso]>
            <table align="center" border="0"
cellspacing="0" cellpadding="10">
                <tr><td align="center" valign="top">
                    <!--[endif]-->

                    <span data-fg-color-name="Button background
color" class="cb-mutable-fg-color" style="padding: 15px 10px;
display: inline-block;">
                        <!--[if mso]><span style="font-size: 16px;
mso-text-raise: 24px; background: #6db3db; mso-font-width: 100%;
letter-spacing: 6.0px; display: inline-block;">&nbsp;<![endif]-->
                            <a href="#" data-fg-color-name="Button text
color"
                                style="background: #6db3db; border-radius:
5px; text-decoration: none; padding: 12px 24px; color: #ffffff;
display: inline-block; text-decoration-color: #6db3db; font-family:
Open Sans, -apple-system, Segoe UI, Roboto, Arial, sans-serif;
font-size: 16px; line-height: 18px; font-weight: bold;
letter-spacing: 0px; mso-text-raise: 12px; mso-font-width: 100%;"
                                class="cb-cta-module-btn
cb-mutable-fg-color">Button</a>
                            <!--[if mso]>&nbsp;</span><![endif]-->
                        </span>

                    <!--[if mso]></td><td align="center"
valign="top"><![endif]-->

                    <span data-fg-color-name="Button background
color" class="cb-mutable-fg-color" style="padding: 15px 10px;
display: inline-block;">
                        <!--[if mso]><span style="font-size: 16px;
mso-text-raise: 24px; background: #6db3db; mso-font-width: 100%;
letter-spacing: 6.0px; display: inline-block;">&nbsp;<![endif]-->
                            <a href="#" data-fg-color-name="Button text
color"
                                style="background: #6db3db; border-radius:
5px; text-decoration: none; padding: 12px 24px; color: #ffffff;
display: inline-block; text-decoration-color: #6db3db; font-family:
Open Sans, -apple-system, Segoe UI, Roboto, Arial, sans-serif;
font-size: 16px; line-height: 18px; font-weight: bold;
letter-spacing: 0px; mso-text-raise: 12px; mso-font-width: 100%;"

```

```

class="cb-cta-module-btn
cb-mutable-fg-color">Button</a>
    <!--[if mso]>&nbsp;</span><![endif]-->
</span>

    <!--[if mso]></td><td align="center"
valign="top"><![endif]-->

    <span data-fg-color-name="Button background
color" class="cb-mutable-fg-color" style="padding: 15px 10px;
display: inline-block;">
        <!--[if mso]><span style="font-size: 16px;
mso-text-raise: 24px; background: #6db3db; mso-font-width: 100%;
letter-spacing: 6.0px; display: inline-block;">&nbsp;<![endif]-->
        <a href="#" data-fg-color-name="Button text
color"
            style="background: #6db3db; border-radius:
5px; text-decoration: none; padding: 12px 24px; color: #ffffff;
display: inline-block; text-decoration-color: #6db3db; font-family:
Open Sans, -apple-system, Segoe UI, Roboto, Arial, sans-serif;
font-size: 16px; line-height: 18px; font-weight: bold;
letter-spacing: 0px; mso-text-raise: 12px; mso-font-width: 100%;"
            class="cb-cta-module-btn
cb-mutable-fg-color">Button</a>
            <!--[if mso]>&nbsp;</span><![endif]-->
        </span>

    <!--[if mso]></td><td align="center"
valign="top"><![endif]-->

    <span data-fg-color-name="Button background
color" class="cb-mutable-fg-color" style="padding: 15px 10px;
display: inline-block;">
        <!--[if mso]><span style="font-size: 16px;
mso-text-raise: 24px; background: #6db3db; mso-font-width: 100%;
letter-spacing: 6.0px; display: inline-block;">&nbsp;<![endif]-->
        <a href="#" data-fg-color-name="Button text
color"
            style="background: #6db3db; border-radius:
5px; text-decoration: none; padding: 12px 24px; color: #ffffff;
display: inline-block; text-decoration-color: #6db3db; font-family:
Open Sans, -apple-system, Segoe UI, Roboto, Arial, sans-serif;
font-size: 16px; line-height: 18px; font-weight: bold;
letter-spacing: 0px; mso-text-raise: 12px; mso-font-width: 100%;"
            class="cb-cta-module-btn
cb-mutable-fg-color">Button</a>
            <!--[if mso]>&nbsp;</span><![endif]-->
        </span>

```

```
<!--[if mso]></td></tr></table><![endif]-->
```

```
</th>
```

```
</tr>
```

```
</table>
```

```
</th>
```

```
</tr>
```

```
</table>
```